

Approved wastewater products in South Australia

Septic Tanks, Biological Filters, Holding Tanks & Pump Sumps

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|---|------------------------|-----------------|---|-------------------------------------|---|
| A&A Worm Farm Waste Systems Pty Ltd Hastings, VIC enquiries@wormfarm.com.au | PT3000L G PT3000L P | 10EP | Wet composting all-waste system with polypropylene shell, internal decomposition chamber with media utilising worms and invertebrates. Treated effluent must be disposed of via subsurface means (not including irrigation). Servicing required 6 months after commissioning, and every two years thereafter for life of system by a service agent accredited by A&A Worm Farm Waste Systems. | WWP-20131 4 June 2026 | 332 4 June 2026 |
| | CT3200L G CT3200L P | 21EP | Wet composting all-waste system with concrete shell, internal decomposition chamber with media utilising worms and invertebrates. Treated effluent must be disposed of via subsurface means (not including irrigation). Servicing required 6 months after commissioning, and every two years thereafter for life of system by a service agent accredited by A&A Worm Farm Waste Systems. | WWP-20054 | |
| | CT3600L G CT3600L P | 24EP | | 17 September 2024 | |
| | CT5000L G CT5000L P | 30EP | | | |
| Access Septic Products Pty Ltd Lonsdale, SA admin@accessseptic.com.au | Access Septic 35 | 3,500L | Tank, fibreglass, horizontal orientation. Can be configured as a holding tank or a septic tank with baffle. | WWP-20041/2 17 November 2025 | 582 17 November 2025 |
| | Access Septic 40 | 4,000L | | | |
| | Access Septic 50 | 5,000L | | | |
| | Access All In One 42 | 3,300L | Septic tank with baffle and 900L built-in pump sump, fibreglass, horizontal orientation. | | |
| | Access All In One 50 | 4,100L | | | |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|--|--|---|---|--------------------------------------|--|
| Access Septic Products Pty Ltd Lonsdale, SA admin@accessseptic.com.au | Modifiable Volume Tanks | 5,800 – 25,200L and 16,900 - 60,000L | Tank, glass-reinforced plastic, horizontal orientation. Can be configured as a holding tank/pump sump, septic tank, septic tank with pump chamber, Anaerobic Baffled Reactor (ABR) or ABR with pump chamber. ABR to be sized either in accordance with conventional septic tank sizing calculation, or using P2 x 3DF (whichever is greater). | WWP-20052 19 August 2024 | 582 17 November 2025 633 8 October 2025 |
| | Access 88 | 8,875L | Tank, fibreglass, vertical orientation. Can be configured as a holding tank or septic tank with baffle. | WWP-20071 9 September 2025 | 629 9 September 2025 |
| Arris Pty Ltd Urrbrae, SA info@arris.com.au | RhizoVault Anaerobic Baffled Reactor (ABR) | 5,800 - 13,600L 16,900 - 60,000L | Tank, Glass-reinforced plastic, horizontal orientation, containing baffles that create between 3 and 6 chambers. An internal pump chamber can also be incorporated within the tank. Sized either in accordance with conventional septic tank sizing calculation, or using P2 x 3DF (whichever is greater). | WWP-20125 8 October 2025 | TBD |
| | Rhizopod® | N/A | Recirculating effluent evapotranspiration system consisting of a concrete vessels with plants. Used in conjunction with an on-site wastewater system and a balance tank sized to hold a minimum 4 days hydraulic flow. Rhizopod® setbacks to buildings to be determined by a structural engineer. | WWP-20111 13 October 2025 | SMK1659 13 October 2025 |
| Aquatec Fluid Systems Pty Ltd Shepparton, VIC info@aquatecenviro.com | Simplex | 600L | Packaged pressure sewer pump unit, polyethylene, vertical orientation. | WWP-20097/A 28 September 2026 | BMP 657673 28 September 2026 |
| | Enviroplex | 900L | | | |
| | Simplex | 1,100L | | | |
| | Duplex | 1,500L | | | |
| | Enduraplex | 950L | Packaged pump sump, polyethylene, vertical orientation. | WWP-20164 12 December 2027 | SMK41326 12 December 2027 |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|--|---|-----------------|---|-----------------------------------|---|
| BioCycle Sheidow Park, SA sales@biocycle.com.au | Septic Tank | 3,000L | Septic tank with baffle, concrete, horizontal orientation. | WWP-20095 9 August 2024 | SMKB20210 9 August 2024 |
| | | 3,250L | | | |
| | | 4,000L | | | |
| | | 8,000L | Septic tank with baffle, concrete, vertical orientation. | | |
| Coerco Pty Ltd Dalwallinu, WA info@coerco.com.au | VUT600 | 600L | Pump sump, polyethylene, vertical orientation. | WWP-20096 2 November 2024 | SMK40330 2 November 2024 |
| | VUT900 | 900L | | | |
| | VUT1200 | 1,200L | | | |
| | SEP-3200 SEP-3200-B | 3,200L | Tank, polyethylene, spherical orientation. Can be configured as a septic tank with baffle or holding tank. | WWP-20083 2 November 2024 | |
| | SEP-11000 | 11,000L | | | |
| | SEP-15000 | 15,000L | Tank, polyethylene, horizontal orientation. Can be configured as a septic tank with baffle or holding tank. | WWP-20117 2 November 2024 | |
| | SEP-19000 | 19,000L | | | |
| | SEP-23000 | 23,000L | | | |
| | SEP-27000 | 27,000L | | | |
| SEP-31000 | 31,000L | | | | |
| Department for Environment and Water (DEW) Adelaide, SA | National Parks and Wildlife Service (NPWS) Waterless Holding Tank Toilet System | 850L, | Waterless public toilet system composed of a toilet pedestal, subsurface polyethylene holding tank, and vent with wind-driven turbine ventilator, designed for use in national parks. Toilet block building will require footings to be engineered to cater for holding tank located within building foundation footprint. Not designed to accept plumbing fixture waste. | WWP-20086/1 23 August 2028 | SMKB20032 23 September 2028 SMK40227 20 January 2029 |
| | | 1,050L | | | |
| | | 1,460L | | | |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|---|---|-----------------|--|--------------------------------------|---|
| Enviro One Services Cleveland, QLD | E/One Grinder Pump Station Model 2010iW | 600/650L | Packaged grinder pump station, polyethylene, vertical orientation. Can be fitted with a proprietary "Model CM9125" extension collar. | WWP-20025/A 11 May 2028 | SMK20051 11 May 2028 |
| | E/One Grinder Pump Station Model 2013iW | 850/900L | Packaged grinder pump station, polyethylene, vertical orientation. | | |
| | E/One Grinder Pump Station Model 2014iW | 1,290/1,500L | Packaged grinder pump station, polyethylene, vertical orientation. Can be fitted with a proprietary "Model CM9125" extension collar. | | |
| Everhard Industries Geebung, QLD info@everhard.com.au | Septic Tank/Holding Tank | 3,000L | Tank, Polypropylene, vertical orientation. Can be configured as a septic tank with baffle or holding tank. Can be fitted with a proprietary riser. | WWP-20142 2 June 2028 | SMK01950 2 June 2028 |
| | | 4,000L | Tank, Polypropylene, vertical orientation. Can be configured as a septic tank with baffle or holding tank. | | |
| | Pump Well | 250L or 450L | Pump sump, polyethylene, spherical orientation. Can be fitted with a proprietary riser. | | |
| Global Water Tonsley, SA sales@globalwatergroup.com.au | DAP07 | 650L | DrainAce packaged pump station, polyethylene, vertical orientation. | WWP-20110/1 28 September 2025 | BMP 690194 28 September 2025 |
| | DAP10 | 1,000L | | | |
| | DAP14 | 1,450L | | | |
| | DAP11A | 1,200L | DrainAce packaged pump station, polyethylene, vertical orientation. | WWP-20110/1 28 September 2025 | BMP 728571 4 November 2025 |
| | DAP16A | 1,600L | | | |
| | DAP20A | 2,000L | | | |
| | DAP30 | 3,000L | | | |
| | DAP50 | 5,000L | | | |
| | DAC54 | 5,400L | DrainAce packaged pump station, concrete, vertical orientation. | WWP-20110/1 28 September 2025 | SMK1659 13 October 2025 |
| | DAC98 | 9,800L | | | |
| | DAC136 | 13,640L | | | |
| | DAC226 | 22,600L | | | |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|---|------------------------|---|---|--------------------------------|---|
| Global Rotomoulding Helidon Spa, QLD info@globalwater.com.au | Septic Tanks | 2,500L | Septic tank with baffle, polyethylene, spherical orientation. | WWP-20098 20 April 2025 | SMK40297 20 April 2025 |
| | | 3,000L | | | |
| | | 4,500L | | | |
| | | 5,000L | | | |
| | Holding Tank/Pump Sump | 6,000L | Holding tank/pump sump, polyethylene, squat tank. | WWP-20099 20 April 2025 | |
| | | 570L | | | Holding tank/pump sump, polyethylene, horizontal orientation. |
| Gough Plastics Bohle, QLD sales@gough.com.au | Hybrid Toilet System | 6EP | Public toilet primary-treatment system consisting of a proprietary low/no flush toilet pedestal, waste collection/treatment tank(s), vent with wind-driven or powered turbine, and effluent disposal system in accordance with the Code. Can accept hand basin waste. Public toilet primary-treatment system consisting of a proprietary low/no flush toilet pedestal, waste collection/treatment tank(s), vent with wind-driven or powered turbine, and effluent disposal system in accordance with the Code. Can accept hand basin waste. | WWP-20141 23 April 2028 | SMKB21477 23 April 2028 |
| | | 10EP | | | |
| | | 25EP | | | |
| | | 50EP | | | |
| | | 75EP | | | |
| | | 100EP | | | |
| 150EP | | | | | |
| GRAF Australia Pty Ltd Henderson, WA info@grafaustralia.com.au | Carat | 2,700L | Septic tank (with or without baffle), pump sump or holding tank, polypropylene, horizontal orientation. Can be fitted with proprietary risers. Can be made trafficable for class B and D vehicle loads. | WWP-20159 26 April 2029 | 5669-3054-01 26 April 2029 |
| | | 3,750L | | | |
| | | 4,800L | | | |
| | | 6,500L | | | |
| | Carat XL | 8,500L | Septic tank (without baffle), pump sump or holding tank, polyethylene, horizontal orientation. Can be fitted with proprietary risers. Can be made trafficable for class B and D vehicle loads. | WWP-20155 26 April 2029 | |
| | | 10,000L | | | |
| | Sapphire | 600L | Pump sump/holding tank, polyethylene, vertical orientation. Can be fitted with proprietary risers. Can be made trafficable for class B and D vehicle loads. | WWP-20160 26 April 2029 | |
| | | 900L | | | |
| | | 1,200L | | | |
| | | 1,500L | | | |
| Platin/ Garantia Li-Lo | 1,500L | Pump sump/holding tank, polyethylene, horizontal orientation. Can be fitted with proprietary risers. Can be made trafficable for class B vehicle loads. | WWP-20087/1 26 April 2029 | | |
| | 3,000L | | | | |
| | 5,000L | | | | |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|--|---|----------------------------------|---|---------------------------------|--|
| GRAF Australia Pty Ltd Henderson, WA info@grafaustralia.com.au | SuperCompact | 2,000L | Pump sump/holding tank, polyethylene, horizontal orientation. Can be fitted with proprietary risers. Can be made trafficable for class B and D vehicle loads. | WWP-20155 26 April 2029 | 5669-3054-01 26 April 2029 |
| | | 3,000L | | | |
| | | 4,000L | | | |
| | | 5,000L | | | |
| | | 8,000L | | | |
| | | 10,000L | | | |
| Halgan Pty Ltd Wetherill Park, NSW admin@halgan.com.au | HSEPS 1000 | 1,000L | Tank, polyethylene, horizontal orientation. Can be configured as a baffle-less septic tank with outlet filter, or holding tank. | WWP-20144 6 March 2025 | 14801140313 BAD96CA2585 5800418B4A 6 March 2025 |
| | HSEPS 1500 | 1,500L | | | |
| | HSEPS 2000 | 2,000L | | | |
| | HSEPS 3000 | 3,000L | | | |
| | HSEPS 4000 | 4,000L | | | |
| | HSEPS 5000 | 5,000L | | | |
| | HPS1050 | 1,050L | Pump sump, polyethylene, vertical orientation. | WWP-20102 6 March 2025 | |
| | HPS2000 | 2,000L | | | |
| | HPS3000 | 3,000L | Holding tank, polyethylene, vertical orientation. | | |
| | HT1050 | 1,050L | | | |
| | HT2000 | 2,000L | | | |
| | HT3000 | 3,000L | | | |
| Hengshui Aoliangle Trading Heibi, China Distributed by Ecoflo Wastewater Management Virginia, QLD info@ecoflo.com.au | Nature Clean SMC Horizontal Septic Tank | 2,500L (working capacity 2,300L) | Dual baffle 2,500L glass fibre reinforced plastic horizontal septic tank. | WWP-20104 3 October 2026 | 669 3 October 2026 |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|---|---|-----------------|--|--|---|
| Plastek Industries Pty Ltd Delacombe, VIC info@plastekind.com.au | Septic Tank | 1,800L | Septic tank with baffle, concrete, horizontal orientation. | WWP-20119 9 November 2026 | SMK41214 9 November 2026 |
| | | 3,300L | | | |
| | | 5,000L | | | |
| | Pump Well/ Holding Well | 2,200L | Holding tank/pump sump, concrete, vertical orientation. | | |
| | | 3,600L | | | |
| | | 5,500L | | | |
| Polymaster Swan Hill, VIC sales@polymaster.com.au | Pump Well | 700L | Pump sump, polyethylene, vertical orientation. Can be fitted with a proprietary riser | WWP-20153 30 May 2026 | BMP 650823 30 May 2026 |
| | | 1,000L | | | |
| | | 1,300L | | | |
| | ST3100 | 3,100L | Septic tank without baffle, polyethylene, horizontal orientation. Can be fitted with a proprietary riser. | | |
| | ST4550 | 4,550L | | | |
| Property Werx Pty Ltd Port Macquarie, NSW info@wormsmart.com.au | WormSmart AWSP1800PF | 10EP | Wet composting all-waste system with decomposition chamber utilising worms and invertebrates. Treated effluent must be disposed of via subsurface means (not including dripper irrigation). System must be serviced every 6 months by service agent accredited by WormSmart. | WWP-20120 25 August 2026 | 339 25 August 2026 |
| | Quickmix Concrete Mount Gambier, SA admin@quickmix.com.au | Septic Tank | 3,400L | Septic tank, concrete, horizontal orientation. | WWP-20154 18 December 2028 |
| Septic Tank | | 6,000L | Septic tank, concrete, vertical orientation. | | |
| Collection Well | | 6,000L | Holding tank, concrete, horizontal orientation. | | |
| RELN Pty Ltd Ingleburn, NSW sales@reln.com.au | 3200L Septic Tank/Holding Tank | 3,200L | Tank, polypropylene, vertical orientation. Can be configured as a holding tank or a septic tank with baffle. Can be fitted with a proprietary riser. | WWP-20140 7 July 2025 | AMI 1651 7 July 2025 |
| | 4000L Septic Tank/Holding Tank | 4,000L | Tank, polypropylene, vertical orientation. Can be configured as a holding tank or a septic tank with baffle. | | |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|---|-------------------|--|---|---------------------------|---|
| RELN Pty Ltd Ingleburn, NSW sales@reln.com.au | 450/600 Pump Well | 450L or 600L | Pump sump, polyethylene, vertical orientation. | WWP-20140 | AMI 1651 |
| | 1200L Pump Well | 1,200L, 1,000L or 900L | Pump sump, polyethylene, vertical orientation. | 7 July 2025 | 7 July 2025 |
| Ri-Industries Angle Park, SA sales@ri-industries.com.au | Pump Chamber | 622L | Pump sump, concrete, vertical orientation. Can be fitted with proprietary "Type 34" riser. | WWP-20062/1 | SMK1659 |
| | Pump Chamber | 1,100L | Pump sump, plastic fibre-reinforced concrete, vertical orientation. | 13 October 2025 | 13 October 2025 |
| | Holding Tank | 4,300L | Holding tank, concrete, horizontal orientation. Can be fitted with proprietary "Type 33" riser. | WWP-20063/1 | 13 October 2025 |
| | | 5,000L | | | |
| | Septic Tank | 3,000L | Septic tank with baffle, poly fibre-reinforced concrete, horizontal orientation. Can be fitted with proprietary "Type 33" riser. A proprietary trafficable cover slab suitable for Class B vehicle loads can be installed above tank. | WWP-20064/1 | 13 October 2025 |
| | Septic Tank | 1,620L | Septic tank with baffle, concrete, horizontal orientation. Can be fitted with proprietary "Type 33" riser. | WWP-20063/1 | 13 October 2025 |
| | | 3,000L (50mm wall) | | | |
| | | 3,000L (60mm wall) | | | |
| | | 3,250L | | | |
| | | 4,300L | | | |
| 5,000L | | | | | |
| Septic Tank/Holding Tank | 5,000L | Tank, concrete, vertical orientation. Can be configured as a holding tank or septic tank with baffle. Can be fitted with proprietary risers. Come in trafficable and non-trafficable versions. | WWP-20059/1 | 13 October 2025 | |
| | 8,000L | | | | |
| | 12,000L | | | | |
| | 20,000L | | | | |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------------------|-----------------|---|--------------------------------------|---|---|--------|------|---|----------------------------------|-----------------------------------|--------|------|--------|------|--------|------|---------|--------|---------|--------|---------|--------|---------|--------|--|------------------------|--------|--|--------------------------------|-------------------------------|--------|---------|---|--------|------|---|--------------------------------------|------------------------------------|--------|------|--------|------|--------|------|-----------------------|--------|---|-------------------------|--------|
| Ri-Industries Angle Park, SA sales@ri-industries.com.au | Ri-Scape 3300 | 3,300L | Combined septic tank with baffle and internal 900L pump chamber, concrete, horizontal orientation. Can be fitted with proprietary riser and cover slab with lockable poly resin access lid. | WWP-20061/1 13 October 2025 | SMK1659 13 October 2025 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Ri-Scape 4000 | 4,000L | | | | Rotoplas Unanderra, NSW sales@rotoplas.com.au | VUT100 | 100L | Pump sump/holding tank, polyethylene, vertical orientation. | WWP-20137 4 November 2025 | BMP 728571 4 November 2025 | VUT250 | 250L | VUT350 | 350L | VUT700 | 700L | VUT1200 | 1,200L | VUT1600 | 1,600L | VUT3000 | 3,000L | VUT5000 | 5,000L | Silvercrete Concrete Products Burton, SA sales@silvercrete.com.au | Holding tank/pump sump | 5,000L | Tank, concrete, vertical orientation. Can be configured as a holding tank or pump sump. Can be fitted with a proprietary riser. Can be made trafficable for class B and D vehicle loads. | WWP-20094 18 March 2025 | SMK41015 18 March 2025 | 9,000L | 23,500L | Suncoast Waste Water Management Kunda Park, QLD info@ozzicleen.com | PT 300 | 300L | Pump sump/holding tank, polyethylene, vertical orientation. | WWP-20146/1 23 September 2028 | SMKB20032 23 September 2028 | PT 350 | 350L | PT 500 | 663L | PT 850 | 850L | PT 1000 (flat bottom) | 1,208L | Pump sump/holding tank, polyethylene, vertical orientation. | PT 1000 (hopper bottom) | 1,225L |
| Rotoplas Unanderra, NSW sales@rotoplas.com.au | VUT100 | 100L | Pump sump/holding tank, polyethylene, vertical orientation. | WWP-20137 4 November 2025 | BMP 728571 4 November 2025 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | VUT250 | 250L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | VUT350 | 350L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | VUT700 | 700L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | VUT1200 | 1,200L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | VUT1600 | 1,600L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | VUT3000 | 3,000L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | VUT5000 | 5,000L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Silvercrete Concrete Products Burton, SA sales@silvercrete.com.au | Holding tank/pump sump | 5,000L | Tank, concrete, vertical orientation. Can be configured as a holding tank or pump sump. Can be fitted with a proprietary riser. Can be made trafficable for class B and D vehicle loads. | WWP-20094 18 March 2025 | SMK41015 18 March 2025 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 9,000L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 23,500L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Suncoast Waste Water Management Kunda Park, QLD info@ozzicleen.com | PT 300 | 300L | Pump sump/holding tank, polyethylene, vertical orientation. | WWP-20146/1 23 September 2028 | SMKB20032 23 September 2028 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PT 350 | 350L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PT 500 | 663L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PT 850 | 850L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PT 1000 (flat bottom) | 1,208L | Pump sump/holding tank, polyethylene, vertical orientation. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PT 1000 (hopper bottom) | 1,225L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PS 1000 | 1,225L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PT 1500 (flat bottom) | 1,735L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|---|---|-----------------|---|--------------------------------------|---|
| Suncoast Waste Water Management Kunda Park, QLD info@ozzicleen.com | PT 1500 (hopper bottom) | 1,640 | Pump sump/holding tank, polyethylene, vertical orientation. | WWP-20146/1 23 September 2028 | SMKB20032 23 September 2028 |
| | PS 1500 | 1,640 | | | |
| | PT 4000 | 4,150L | Pump sump/holding tank, polyethylene, vertical orientation. Comes in single turret and twin turret versions. | | |
| | PT 5300 (flat bottom) | 5,350L | Pump sump/holding tank, polyethylene, vertical orientation. | | |
| | PT 5300 (hopper bottom) | 5,250L | | | |
| | RW 5300 | 5,300L | | | |
| | ST10 | 4,500L | Tank without baffle, polyethylene, vertical orientation. Can be configured as a septic tank without baffle, a holding tank or a pump sump. | | |
| | ST10A | 4,500L | Septic tank with baffle, polyethylene, vertical orientation. | | |
| Sustainable Space Clare, SA essentialfx@gmail.com | Reed ePod Mk2 | Variable | Biological outlet filter incorporating reed bed contained in a Global Rotomoulding polyethylene open-top trough. Installed after septic tank with outlet filter. Multiple units may be installed in series. Effluent disposal via primary-treated effluent disposal methods in Code or AS/NZS 1547. | WWP-20136 27 April 2028 | N/A |
| Taylex Australia Pty Ltd Ormeau, QLD info@taylex.com.au | Maxi Tank | 4,750L | Septic tank, concrete, vertical orientation. Contains multiple chambers and outlet filter. | WWP-20114 11 July 2025 | 040/20 11 July 2025 |
| | Septic Tank | 4,000L | Septic tank with baffle, concrete, vertical orientation. Can be fitted with outlet filter. | WWP-20143 19 August 2025 | 040/1 19 August 2025 |
| | Septic Tank | 5,000L | | | |
| | Septic Tank | 10,000L | Tank, concrete, vertical orientation. Can be configured as a holding tank or a pump sump. Trafficable for Class B loads. Can be fitted with 300mm access opening risers. | | |
| | Pump Station / Balance Tank / Invert Tank | 10,000L | | | |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|--|-----------------|-----------------|--|-----------------------------------|---|
| Taylex Australia Pty Ltd Ormeau, QLD info@taylex.com.au | T44 Septic Tank | 18,960L | Septic tank with baffle, concrete, vertical orientation. Can be fitted with outlet filter. | WWP-20075 11 July 2025 | 040/20 11 July 2025 |
| Tumby Bay Concrete Tumby Bay SA info@tumbyconcrete.com.au | Septic Tank | 3,200L | Septic tank with baffle, concrete, horizontal orientation. Can be fitted with a proprietary riser. | WWP-20100 9 July 2025 | SMK40461 9 July 2025 |
| Xylem Water Solutions Australia Ltd Marleston, SA enquiry.au@xylem.com | Simplex (Flygt) | 900L | Packaged pump sump, polyethylene, vertical orientation. | WWP-20055 13 December 2024 | 183 26 April 2024 |

| Manufacturer | Model | Capacity (L/EP) | Description | DHW Approval No. & expiry | AS/NZS 1546.1:2008 Certification No. & expiry |
|--------------|-------|--------------------|-------------|------------------------------|--|
|--------------|-------|--------------------|-------------|------------------------------|--|

More information:

Wastewater Management
 Health Protection and Regulation
 SA Health
 Citi Centre Building
 11 Hindmarsh Square
 Adelaide SA 5000

PO Box 6
 Rundle Mall SA 5000

Tel: (08) 8226 7100
 Fax: (08) 8226 7102
 Email healthwastewatermanagement@sa.gov.au

<http://www.sahealth.sa.gov.au/wastewater>

ABN 97 643 356 590

© Department for Health and Wellbeing, Government of South Australia.
 All rights reserved.

Last revised 7 August 2024