South Australian Paediatric Clinical Practice Guidelines

Anaphylaxis in Children

© Department for Health and Ageing, Government of South Australia. All rights reserved.

Note:

This guideline provides advice of a general nature. This statewide guideline has been prepared to promote and facilitate standardisation and consistency of practice, using a multidisciplinary approach. The guideline is based on a review of published evidence and expert opinion.

Information in this statewide guideline is current at the time of publication.

SA Health does not accept responsibility for the quality or accuracy of material on websites linked from this site and does not sponsor, approve or endorse materials on such links.

Health practitioners in the South Australian public health sector are expected to review specific details of each patient and professionally assess the applicability of the relevant guideline to that clinical situation.

If for good clinical reasons, a decision is made to depart from the guideline, the responsible clinician must document in the patient's medical record, the decision made, by whom, and detailed reasons for the departure from the guideline.

This statewide guideline does not address all the elements of clinical practice and assumes that the individual clinicians are responsible for discussing care with consumers in an environment that is culturally appropriate and which enables respectful confidential discussion. This includes:

- The use of interpreter services where necessary,
- Advising consumers of their choice and ensuring informed consent is obtained,
- Providing care within scope of practice, meeting all legislative requirements and maintaining standards of professional conduct, and
- Documenting all care in accordance with mandatory and local requirements

Explanation of the aboriginal artwork:

The aboriginal artwork used symbolises the connection to country and the circle shape shows the strong relationships amongst families and the aboriginal culture. The horse shoe shape design shown in front of the generic statement symbolises a woman and those enclosing a smaller horse shoe shape depicts a pregnant woman. The smaller horse shoe shape in this instance represents the unborn child. The artwork shown before the specific statements within the document symbolises a footprint and demonstrates the need to move forward together in unison.



Cultural safety enhances clinical safety.

To secure the best health outcomes, clinicians must provide a culturally safe health care experience for Aboriginal children, young people and their families. Aboriginal children are born into strong kinship structures where roles and responsibilities are integral and woven into the social fabric of Aboriginal societies.

Australian Aboriginal culture is the oldest living culture in the world, yet Aboriginal people currently experience the poorest health outcomes when compared to non-Aboriginal Australians.

It remains a national disgrace that Australia has one of the highest youth suicide rates in the world. The over representation of Aboriginal children and young people in out of home care and juvenile detention and justice system is intolerable.

The accumulative effects of forced removal of Aboriginal children, poverty, exposure to violence, historical and transgenerational trauma, the ongoing effects of past and present systemic racism, culturally unsafe and discriminatory health services are all major contributors to the disparities in Aboriginal health outcomes.

Clinicians can secure positive long term health and wellbeing outcomes by making well informed clinical decisions based on cultural considerations.

The term 'Aboriginal' is used to refer to people who identify as Aboriginal, Torres Strait Islanders, or both Aboriginal and Torres Strait Islander. This is done because the people indigenous to South Australia are Aboriginal and we respect that many Aboriginal people prefer the term 'Aboriginal'. We also acknowledge and respect that many Aboriginal South Australians prefer to be known by their specific language group(s).



INFORMAL COPY WHEN PRINTED Page 1 of 4

Anaphylaxis in Children

Purpose and Scope of PCPG

The 'Anaphylaxis in Children' Paediatric Clinical Practice Guideline (PCPG) is primarily aimed at medical staff working in any of the primary care, local, regional, general or tertiary hospitals. It may however assist the care provided by other clinicians such as nurses. The information is current at the time of publication and provides a minimum standard for the assessment (including investigations) and management anaphylaxis; it does not replace or remove clinical judgement or the professional care and duty necessary for each specific case.

Important points

- Anaphylaxis is a potentially life threatening, severe allergic reaction, that requires immediate treatment with adrenaline (epinephrine).
- > Anaphylaxis should always be treated as a medical emergency. Call an ambulance (000) immediately after giving an adrenaline auto injector.

Definitions

Anaphylaxis Anaphylaxis is a potentially life threatening, severe allergic reaction.	
--------------------------------------------------------------------------------------	--

Introduction

The Australasian Society of Clinical Immunology and Allergy (ASCIA), the peak professional body of clinical immunology and allergy specialists in Australia and New Zealand has given permission to SA Health through the SA Child and Adolescent Health Community of Practice, Statewide Paediatric Clinical Practice Guideline Reference Group to publish links to information on their website www.allergy.org.au.

ASCIA has developed the 'Acute Management of Anaphylaxis Guideline' endorsed by the Anaphylaxis Working Party (AWP) as well as the ASCIA membership.

These guidelines are relevant for acute management of anaphylaxis for paediatric patients throughout Australia and New Zealand.

Guidelines

- Acute Management of Anaphylaxis https://www.allergy.org.au/hp/papers/acute-management-of-anaphylaxis-guidelines
- > Information for Health Professionals https://www.allergy.org.au/health-professionals/papers



INFORMAL COPY WHEN PRINTED Page 2 of 4

Anaphylaxis in Children

Recommendation

The SA Child and Adolescent Health Community of Practice, Statewide Paediatric Clinical Practice Guideline Reference Group recommends clinicians in South Australia providing health care to children and young people follow the national guideline in the management of acute anaphylaxis.

Table of Contents

Purpose and Scope of PCPG	2
Important points	2
Definitions	2
Introduction	2
Guidelines	2
Recommendation	3
Additional Resources	3
Acknowledgements	4
Document Ownership & History	4

Additional Resources

In addition to relevant guidelines and e-training course for health professionals the Australian Prescriber Anaphylaxis Wallchart may provide additional support.

- > Australian Prescriber Anaphylaxis Wallchart https://www.nps.org.au/australian-prescriber/articles/anaphylaxis-wallchart
- > ASCIA Anaphylaxis e-training for health professionals https://www.allergy.org.au/hp/hp-e-training/ascia-anaphylaxis-e-training-for-health-professionals
- > ASCIA Anaphylaxis e-training for pharmacists https://etrainingpharm.ascia.org.au/mod/page/view.php?id=59
- > Anaphylaxis Resources https://www.allergy.org.au/health-professionals/anaphylaxis-resources
- Position Paper ASCIA guidelines for prevention of anaphylaxis in schools, pre-schools and childcare: 2015 update https://www.allergy.org.au/images/stories/pospapers/Vale_et_al-2015-Journal_of_Paediatrics_and_Child_Health.pdf



Page 3 of 4

Anaphylaxis in Children

Acknowledgements

The South Australian Child and Adolscent Health Community of Practice gratefully acknowledges the contribution of clinicians and other stakeholders who participated throughout the development process of this guideline, endorsed by the Anaphylaxis Working Party (AWP) as well as the ASCIA membership.

Write Group Lead

Dr Damien Chan

SAPCPG Reference Group Members

Document Ownership & History

Developed by: SA Child & Adolescent Health Community of Practice

Contact: Health.PaediatricClinicalGuidelines@sa.gov.au

Endorsed by: SA Safety and Quality Strategic Governance Committee

Next review due: 03/07/2023

ISBN number: 978-1-74243-897-9

PDS reference: CG147

Policy history: Is this a new policy (V1)? **N**

Does this policy amend or update and existing policy? Y

If so, which version? V1.1

Does this policy replace another policy with a different title? Y
If so, which policy (title)? Management of anaphylaxis in children

Approval Date	Version	Who approved New/Revised Version	Reason for Change
26/10/20	V2.2	Chair, SA Child and Adolescent Health Community of Practice	Updated external link to ASCIA Guidelines - Acute management of anaphylaxis.
10/09/19	V2.1	Chair, SA Child and Adolescent Health Community of Practice	Updated external link to ASCIA guideline: Acute Management of Anaphylaxis and Additional Resources.
03/07/18	V2	SA Health Safety & Quality Strategic Governance Committee	ASCIA guidelines formally reviewed and updated by ASCIA working groups to ensure the content is consistent with current published medical literature.
17/11/16	V1.1	SA Health Safety & Quality Strategic Governance Committee	Amended external links to ASCIA website content
19/05/14	V1	SA Health Safety & Quality Strategic Governance Committee	Original approved version.



INFORMAL COPY WHEN PRINTED Page 4 of 4